




Technical Textiles Inc.

PN# 1401101S80CR




Shieldex® Nora Dell - CR

- Purpose: Very high conductivity in a metalized nylon fabric and **Clean Room compatible**. Highly protective from galvanic corrosion. Provides extreme durability.
- Description: Nickel, Copper, Silver (Ni/Cu/Ag) plated Nylon fabric.
- Raw material: Nylon ripstop fabric
- Surface Resistivity: < 0.009 Ohms / □
- RF Shielding Effectiveness: Average 95 dB from 30Mhz to 10Ghz
- Abrasion Resistance: 1,000,000 Cycles
- Temperature Range: -40°C to 100°C / -40°F to 212°F
- Total Thickness: 0.005" (0.125mm) ± 15%
- Number of Splices: 1/98 Lm nominal
- Weight: 112 g/m² ± 15%
- Roll Widths: 52" (132cm) ± 1.5"
- Master Roll Lengths: Average 200 Lm / 218 Lyd



PRODUCT APPLICATION EXAMPLES

- ⇒ Shielding fabric for RF tents and pouches for clean room applications
- ⇒ Base material for EMI/RFI gaskets
- ⇒ Base material for EMI/RFI garments
- ⇒ Shielding material for laminated flat I/O shielding panels
- ⇒ EMI/RFI cable shielding



Accreditations:
 RoHS: Compliant
 Reach: Compliant
 Acc. ISO 9001:2000

V Technical Textiles, Inc
 4502 State Rt. 31
 Palmyra, NY 14522
 Phone: 315-597-1674
 Fax: 315-597-6687
 Web: www.vtechtextiles.com
 Email: whoge@rochester.twcbc.com



Technical Textiles Inc.

A Woman's Owned Small Business

NWBOC®
 WBE CERTIFIED

NWBOC®
 EDWOSB CERTIFIED

Statex Productions & Vertriebs GmbH
 Kleiner Ort 11 28357
 Bremen Germany
 Tel: +49 421 275047/8,
 Fax: +49 421 273643
 info@statex.de